




## Manual of Recommended Practice for Railway Engineering and Maintenance of Way

By American Railway Association

RareBooksClub. Paperback. Book Condition: New. This item is printed on demand. Paperback. 68 pages. Dimensions: 9.7in. x 7.4in. x 0.1in.This historic book may have numerous typos and missing text. Purchasers can download a free scanned copy of the original book (without typos) from the publisher. Not indexed. Not illustrated. 1907 edition. Excerpt: . . . must be taken that the clips and the sides of the briquette be clean and free from grains of sand or dirt which would prevent a good bearing. The load should be applied at the rate of 600 lbs. per minute. The average of the briquettes of each sample tested should be taken as the test, excluding any results which are manifestly faulty. CONSTANCY OF VOLUME. Method. 48-Tests for constancy of volume are divided into two classes: (1) Normal tests, or those made in either air or water maintained at about 2i C. (700 F.), and (2) accelerated tests, or those made in air, steam or water at a temperature of 45 C. (115 F.) and upward. The test pieces should be allowed to remain 24 hours in moist air before immersion in water or steam, or preservation in air. 49. For these...



## Reviews

Great electronic book and useful one. It can be writter in straightforward terms rather than difficult to understand. Once you begin to read the book, it is extremely difficult to leave it before concluding.

-- Kian Harber

A very awesome ebook with perfect and lucid explanations. I could possibly comprehended every thing using this written e pdf. I am happy to explain how this is basically the best ebook i have got read inside my personal life and may be he very best book for ever.

-- Mr. Santa Rath